



PRODUCT SPECIFICATION

Company	4est Floors OU
Product	4est Curve
Collection	Designer series
Grade	RA and RB - see below for grade info
Configuration	1 strip
Wood species	European Oak (other species can be quoted)
Edge	Bevel - 1 mm V-groove on long sides
Surface colour	Oil, lacquer, smoked brushed or unfinished
Texture	Smooth sanded/installation ready
Joint	Tongue and groove
Thickness	16 mm (option for 15mm)
Construction	2 ply
Top Layer	4 mm (option 3mm) Euro Oak
Moisture	6.5-8.5% upon delivery
Support layer	12 mm Baltic birch plywood - 9 ply

Formaldehyde emission	Complies EU E1 norms for formaldehyde emissions
Module construction	10 unique curved boards that fit together to make a 3.87 m ² module which repeats in all 4 directions. Boards are all 1.9 m long and there are 3 widths between 180mm and 260 mm
Warranty	25 years with proper maintenance
Color Change	Wood is subject to color change over time
Installation	Glue/nail/float or with special underlay as per instructions
Packaging/weights	Boards/modules are normally shipped loose on skids 10 boards covering 3.87m ² weigh 40 kilo When packed into cartons of 5 boards each, 20 kg/carton Carton size == 1920 mm X 270 mm X 85 mm




Unique design combined with world class quality – 4est Curve, the new wave in flooring!

Oak Quality of our two-layer boards for 4est Floors OU, based on: PN-EN 13489

“Select” Grade - No knots, no sapwood, regular color and texture. Limited availability based on quote. Limited availability based on quote. Not listed on price lists.

“PRIME” Grade – Pin knots and sound knots till 15mm, no sapwood. Limited availability based on quote. Not listed on price lists.




“RUSTIC A” Grade – Sound knots till 35mm, filled till 20mm, no sapwood. Our bestseller along with Rustic B.



“RUSTIC B” Grade – Sound knots till 80mm, filled till 60mm, no sapwood. Our bestseller along with Rustic A.



“RUSTIC C” Grade – all healthy and open knots unlimited allowed, sapwood unlimited allowed, all discolour allowed and all other defects of wood and main splits allowed – filled. Available by request only. Not shown on price list.



2-ply 16 mm construction – proudly European!



www.4estfloors.com info@4estfloors.com +372 5911 5650

